



**TRANSFORMER BOBBIN
INDUSTRIAL CO.,LTD.**

Tel : 86-769-88789999 Fax : 86-769-88789989
http:// tbi-tw.com e-mail : tb6688@ms46.hinet.net

REVISIONS				
REV	SYM	DRAFTER	CHECKER	DATE
3		YAN.TANG	W.H.HSU	06/16/07
4		YAN.TANG	G.F.YANG	03/18/08
5		YAN.TANG	G.F.YANG	12/10/09

A

A

B

B

C








C

D

D

E

E



DWG NO.	EFD15-12P-GW-2.5-0F-1				
PART NO.	MATERIAL (BOBBIN)	MATERIAL (TERMINAL)	TERMINAL (PLATING)	PIN ALLOCATION	NOTE
TBI-107-03061.103	PM-9630	PB (C5191) Δ	Sn	ALL PIN (A)= 0.4±0.1 (B)=7.7±0.15	
TBI-107-03061.113	PM-9630	PB (C5191) Δ	Sn	NO PIN#1,6,7,12 (A)=0.4 (B)=7.7±0.15	H
Δ TBI-107-03061.123	PM-9630	PB (C5191)	Sn	NO PIN#4,9 (A)=0.4 (B)=7.7±0.15	
Δ TBI-107-03061.133	PM-9630	PB (C5191)	Sn	NO PIN#4,9 (A)=1.5 (B)=8.8±0.15	
Δ TBI-107-03061.143	PM-9630	PB (C5191)	Sn	ALL PIN (A)= 0.8±0.1 (B)=8.1±0.15	
F TBI-107-03061.153	PM-9630	PB (C5191)	Sn	ALL PIN (A)= 0.3±0.1 (B)=7.6±0.1	F
TBI-107-03061.163	PM-9630	PB (C5191)	Sn	NO PIN#9,10 (A)= 0.8±0.1 (B)=8.1±0.15	
TBI-107-03061.173	PM-9630	PB (C5191)	Sn	NO PIN#4,9 (A)= 0.4±0.1 (B)=7.7±0.15	
TBI-107-03061.183	PM-9630	PB (C5191)	Sn	ALL PIN (A)=1.5 (B)=8.8±0.15	
TBI-107-03061.193	PM-9630	PB (C5191)	Sn	NO PIN#3,4,5,8,9,10 (A)=0.4 (B)=7.7±0.15	

TOLERANCE: .X±0.15 .XX±0.10 .XXX±0.05			UNIT : m / m	SCALE 3 : 1
Finish: 1. PB wire Immersion Sn on terminal : Thickness:Sn plating,100,5 μm (200 μ inches) min,Base nickel 0.625 μm (25 μ inches) min. 2. CP wire Immersion Sn on terminal : Thickness:Sn plating,100,5 μm (200 μ inches) min. 3. Coplanarity deviation: 0.10 mm (0.004 inches) max.				REV 5